

## **Attestation of Compliance**

No. N5AUK 113205 0005 Rev. 01

Holder of Attestation: Guangdong Yuchen Optoelectronic

**Technology Co., Ltd**Building 1, No.71, Taian Liyuan Rd, Zhangmutou Town

523000 Dongguan City, Guangdong PEOPLE'S REPUBLIC OF CHINA

**Product:** Fixed general purpose luminaires

(LED strip light)

This Attestation of Compliance is issued on a voluntary basis and confirms the compliance with the listed electrical safety standards for electrical equipment below 50 V AC or 75 V DC, which is below the voltage limits of the Electrical Equipment (Safety) Regulations 2016. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuvsud.com/ps-cert

Test report no.: 64140210189102

2024-09-03 Date,

(Michael Xu)

This Attestation does not replace the regulatory UK Declaration of Conformity (DoC) and does not allow for UKCA marking. After preparation of the necessary technical documentation and establishing compliance to requirements of all applicable regulations, the manufacturer may sign a DoC and apply the UKCA marking. The DoC is issued under the sole responsibility of the manufacturer.



## **Attestation of Compliance**

No. N5AUK 113205 0005 Rev. 01

SA-\*XXYYYU, CA-ZXXYYYU, Model(s): SA-\*WWYYYU, CA-ZWWYYYU

Note:

1. "\*" can be "B", "C" and "H", "B" means used the LED chip model is 2216, "C" means used the LED chip model is 2835, "H" means used the LED chip model is 5050.

2. XX=00-99 (00-99 means the white light color temperature 0-9900K, For example 20 means 2000K, 35 means 3500K and so on.)

3. WW=RG, RW, WR, RE, GR, BL, YE, UV, PI and OR means the LED modules color, (RG means RGB, RW means RGBW, WR means WRGBW, RE means Red, GR means Green, BL means Blue, YE means Yellow, UV means Purple, PI means Pink, OR means Orange) 4. YYY=000-999, means LED Quantity (For example 060 means 60LEDs/m, 120 means 120LEDs/m, and so on)

5. U=A, B, C, D or E(A means input voltage is 5VDC, B means input voltage is 12VDC, C means input voltage is 24VDC, D means input voltage is 36VDC, E means input voltage

is 48VDC).

**Brand: Eastfine** 



Rated Voltage: See model list **Parameters:** Rated Power: See model list Protection Class: Class III

Degree of Protection: See model list

Blue Light Risk Group: RG1

This Attestation does not replace the regulatory UK Declaration of Conformity (DoC) and does not allow for UKCA marking. After preparation of the necessary technical documentation and establishing compliance to requirements of all applicable regulations, the manufacturer may sign a DoC and apply the UKCA marking. The DoC is issued under the sole responsibility of the manufacturer.



## **Attestation of Compliance**

No. N5AUK 113205 0005 Rev. 01

Model list

No.	Model No.	Input voltage	Rated power	IP degree
1	SA-*XXYYYU	U	Max. 24W/M	IP20
2	CA-ZXXYYYU	U	Max. 24W/M	IP20
3	SA-*WWYYYU	U	Max. 24W/M	IP20
4	CA-ZWWYYYU	U	Max. 24W/M	IP20

**Tested** EN IEC 60598-1:2021/A11:2022

EN IEC 60598-2-1:2021 according to: EN 62493:2015/A1:2022



This Attestation does not replace the regulatory UK Declaration of Conformity (DoC) and does not allow for UKCA marking. After preparation of the necessary technical documentation and establishing compliance to requirements of all applicable regulations, the manufacturer may sign a DoC and apply the UKCA marking. The DoC is issued under the sole responsibility of the manufacturer.